

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

CONFIRMATION NO. APPLICATION NO. FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO. 10/695,760 10/30/2003 Beverley C. Woodson 021238-550 6889 EXAMINER 21839 7590 06/27/2006 **BUCHANAN INGERSOLL PC** LAZORCIK, JASON L (INCLUDING BURNS, DOANE, SWECKER & MATHIS) ART UNIT PAPER NUMBER **POST OFFICE BOX 1404** ALEXANDRIA, VA 22313-1404 1731

DATE MAILED: 06/27/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		h
• • •	Application No.	Applicant(s)
Office Action Summary	10/695,760	WOODSON ET AL.
	Examiner	Art Unit
	Jason L. Lazorcik	1731
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING E - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATIO .136(a). In no event, however, may a reply be tin I will apply and will expire SIX (6) MONTHS from the, cause the application to become ABANDONE	N. mely filed n the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
1) Responsive to communication(s) filed on 30 (October 2003.	
2a) This action is FINAL . 2b) ☑ Thi	s action is non-final.	
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.		
Disposition of Claims		
4) ⊠ Claim(s) <u>1-37</u> is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☒ Claim(s) <u>1-37</u> is/are rejected. 7) ☒ Claim(s) <u>29</u> is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o	awn from consideration.	
Application Papers		
9)☐ The specification is objected to by the Examin	er.	
10)⊠ The drawing(s) filed on <u>15 March 2004</u> is/are: a) accepted or b)⊠ objected to by the Examiner.		
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).		
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E		
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureat* See the attached detailed Office action for a list	nts have been received. Its have been received in Applicatority documents have been received in Applicatority documents have been received.	tion No. <u>60/422,497</u> . red in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892)	4) 🔲 Interview Summary	y (PTO-413)
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date 12/05/2003. 	Paper No(s)/Mail D	Pate Patent Application (PTO-152)

Continuation of Attachment(s) 6). Other: IDS Filed: 06/08/2004, 10/28/2004, 03/15/2005, 04/26/2006.

DETAILED ACTION

Drawings

The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description: Reference character (91) is neither disclosed nor described in the specification. Corrected drawing sheets in compliance with 37 CFR 1.121(d), or amendment to the specification to add the reference character(s) in the description in compliance with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Objections

Claim 29 is objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form. Specifically, the reference to the fibers presented in the alternative form as being of either continuous *or* non-

continuous form is inclusive of all fibers and thus places no further limitation on the parent claim.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 25, 30, and 35 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding Claim 25, the immediate claim indicates that the inclusion complex comprise a portion or "up to about 20%" of "the flavoring". Since the measurement basis for this claim was not clearly set forth (eg. weight percent, mole percent, etc.), the precise metes and bounds of the claimed invention are rendered indefinite.

Regarding claim 30, the parent claim 28 indicates that the "sorbent is fibers" while the immediate claim indicates that "the fibers are impregnated with at least one sorbent". Since claim 28 sets forth an equivalency between the sorbent and fibers, the immediate claim essentially reads as wherein "the (sorbent) is impregnated with at least one sorbent." In the stated context, it is unclear how the applicant intends to limit the parent claim 28.

Similarly regarding Claim 35, it is stated that "the flavoring-release additive" comprises at least two "flavoring-release additives". It is unclear how a thing is able to comprise itself.

Examiner's Preliminary Comments

The limitations of "Electrically Heated" and "electrical" as recited in the preamble to Claim 1 are hereby understood to place neither an explicit nor an implicit limitation on the structure of the as claimed cigarette and smoking system, respectively.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-15, 17-23, 25-32, are 34-37 are rejected under 35 U.S.C. 102(e) as being clearly anticipated by Shi (US 2005/0000531 A1). Broadly, Shi teaches a method of adding a flavorant to a smoking article via the microencapsulation of said flavorant within a material having a melting point below the pyrolysis zone temperature of the smoking article. While all citations relating to the immediate reference are made with respect to the Shi et. al. pre-grant publication as indicated above, a copy of the Shi provisional patent application (60/338,168 - Filing Date:11/09/2001) has been included along with this office action for reference.

Specifically with respect to Claim 1, Shi (pg 1, ¶ [0009]) teaches a smoking article or "cigarette" herein referred to as a composition. This composition incorporates a filter

with activated charcoal which is held equivalent to the claimed "at least one sorbent" and a plurality of microcapsules or "a flavor-release additive". The microcapsules include a filler material or "at least one flavoring" and display a melting point temperature or "minimum temperature". Upon heating said microcapsules to the melting point temperature, the flavoring is released.

Regarding Claim 2 and in light of the Claim 1 rejection above, Shi (Pg 1, ¶ [0009]) indicates that "the filter includes an activated charcoal or an activated carbon" which is understood to read on the immediate claim as a cigarette wherein the sorbent is activated carbon.

With respect to Claim 3 and in light of the Claim 1 rejection above, the immediate reference (Pg 1, ¶ [0008]) indicates that "a cigarette or other smoking article (may) incorporate an adsorbing material such as…zeolite" which is understood to read on the immediate claim as a cigarette wherein the sorbent is zeolite.

Again with respect to Claim 4, Shi indicates (pg1, ¶ [0009]) that "the filler material" or "flavoring" includes menthol.

Claim 5 is rejected in light of Claim 4 wherein the flavoring menthol is included in the "at least one flavoring" from the identified group of acceptable flavorings in the immediate claim.

Claim 6 is rejected in light of the Claim 1 rejection above wherein the microcapsules are understood to be of the general form of "beads"

Regarding Claim 8, Shi (pg 4, ¶ [0037]) indicates that the microcapsules have a typical size from about 10 nanometer or less to about 1000 micrometers or more which anticipates the claimed size range of 25 microns.

Similarly regarding Claim 9, Shi (pg 4, ¶ [0037]) indicates that the microcapsules have a typical size from *about 10 nanometers or less* to about 1000 micrometers or more which anticipates the claimed size range less than about 1 micron.

With respect to Claim 10, Shi (pg 8, ¶ [0085]) discloses that microcapsules are added to the smokable material to provide a concentration of flavorant from less than about 0.001 wt. % to about 5 wt % flavorant on a tobacco weight basis. Further, the weight percent of filler that is incorporated into a single microcapsule in a typical preparation (pg 5, ¶ [0053]) based on the total mass of the microcapsule ranges from about 20% to about 60%. Shi (pg 4, ¶ [0040]) also indicates that the filling material is typically one or more flavorants, and is incorporated only "optionally" in combination with substances other than flavorants. Assuming, as Shi suggests above, that the filling is composed solely of flavoring, it is obvious that the cigarette necessarily comprises a weight percent of microspheres in the range of 0.001667% to 25% [eq. (0.05q flavorant/1.0 g tobacco)*(1gm microcapsule/0.2gm flavorant)=25%wt microcapsule]. Since the claimed weight percent concentration of beads of up to about 20% by weight based on the total weight of tobacco clearly falls within the above weight percent range of between 0.001667% and 25% by weight the immediate claim is anticipated by the prior art.

Regarding Claim 11 and in accord with the above argument for the Claim 10 rejection, it was clearly set forth that the weight percent of filler that is incorporated into a single microcapsule in a typical preparation (pg 5, ¶ [0053]) based on the total mass of the microcapsule ranges from about 20% to about 60%. Further since the filling can be composed solely of flavoring (pg 4, ¶ [0040]) or may include substances other than flavorants, it is obvious that the beads or "microcapsules" described by Shi may comprise up to about 20% of the flavoring.

With respect to Claim 12, Shi indicates (pg 7, ¶ [0083]) that in a preferred embodiment, the microcapsules are deposited onto the smokable material, and that the combustion zone of tobacco are typically from about 600°C to about 900°C (pg 4, ¶ [0041]). Since the encapsulant or shell material display a melting point or "minimum temperature" from about 35°C or lower to about 200°C or higher (pg 4, ¶ [0042]), the minimum temperature is understood to be about 40°C. Further since the microcapsules are on the smokable material in the combustion zone during smoking, the beads are located in a region of the cigarette that reaches at least about 40°C during smoking of the cigarette.

As outlined in the Claim 12 rejection above, the microspheres or beads may be deposited on the tobacco (pg 7, ¶ [0083]) and it is a well established and common practice to incorporate tobacco into a tobacco plug or rod in the conventional design of a cigarette, Claim 13 is deemed clearly anticipated by the prior art.

With respect to Claim 14, Shi (pg 7, ¶ [0083]) indicated that the microcapsules are "deposited onto the smokable material", and more specifically that the

Application/Control Number: 10/695,760

Art Unit: 1731

"microcapsules may be applied as a suspension in a suitable liquid" (pg. 8, ¶ [0084]).

As a point of reference, the applicant indicates in body of the specification that "the film can be applied to one or more components of the electrically heated cigarette as a liquid coating, which is dried to a film". Further, the applicant asserts (pg17, ¶ [0068]) that in a preferred embodiment, "an emulsion, suspension, or slurry comprising the binder, flavoring, and optional additives is prepared and then applied as a coating to one or more selected surfaces of one or more selected components of the electrically heated cigarette." Since the microcapsules described by Shi comprise a binder and a flavoring, a suspension deposited onto the smokable material comprising said microcapsules in "a suitable liquid" is held equivalent to the process as related by the applicant through the following steps:

- 1) preparing an emulsion, suspension, or slurry comprising the binder, flavoring, and optional additives
- 2) applying said emulsion, suspension, or slurry as a liquid coating to a component of the cigarette
- 3) drying said coating form a film.

Regarding Claim 15 and in light of the Claim 14 rejection above, Shi discloses (pg5, ¶ [0049]) that the shell material or "binder" in the microcapsule include gum arabic which is read in the immediate context wherein the film comprises a binder from the group including gum arabic among other compounds.

Claim 17 is anticipated in light of the Claim 14 rejection above wherein the film is essentially composed of the microspheres and the argument set forth in Claim 10 rejection which indicated that the beads constitute up to 25% weight based on the total weight of the tobacco. In the present context, the film and the beads are

compositionally held equivalent, and therefore the terms "the film" and "the beads" are interchangable. Since the film consists of the beads and the beads constitute up to 25% wt. of the cigarette, the film constitutes up to 25% wt. of the cigarette and therefore "the cigarette comprises up to about 20% by weight of the film" as claimed.

Claim 18 is anticipated in light of the above arguments presented in Claims 14 and 17 and the rejection set forth for Claim 11 above. Specifically, the beads or "microcapsules" comprise up to about 20% of the flavoring and the beads essentially comprise the film. Therefore, the film comprises by weight up to about 20% of the flavoring.

Claim 20 is anticipated in light of the rejections of Claim 14 and Claim 12 as set forth above. Specifically, Claim 14 indicated that the microcapsules are "deposited onto the smokable material" which is read in the immediate claim as creating a film of the flavoring-release additive. As outlined in Claim 12, the film is comprised of microcapsules and the film is deposited on the smokable material. Since said smokable material is in the combustion zone during smoking, the film is likewise located in a region of the cigarette that reaches at least about 50°C during smoking of the cigarette.

Claim 21 is anticipated in light of the Claim 14 rejection above the fact that it is a well established and common practice to incorporate tobacco into a tobacco plug or rod in the conventional design of a cigarette

Regarding Claim 22, Shi (pg 6, ¶ [0058]) indicates that the microcapsule may be formed by a complex coacervate or cluster of molecules wherein a pair of oppositely

charged molecules or polymer particles are bound together by electrostatic attraction. This synthetic approach described by Shi is held equivalent to the claimed "inclusion complex wherein the host molecule and flavoring are collectively considered the pair of oppositely charged molecules. As a specific example presented by Shi, a flavorant or filler dispersed in gelatin is encapsulated by a coacervate between gum Arabic with the gelatin. Therefore in the context of the present claim the flavorant and gelatin are considered the guest molecules in the host shell of gum Arabic.

Claim 26 is clearly anticipated in light of the rejections of Claim 22 and Claim 20 above. Specifically Claim 22 sets forth a case wherein the flavor-release additive is an "inclusion complex" and by the Claim 20 rejection wherein a film of said inclusion complex on cut tobacco will reach at least 60°C during the smoking of the cigarette.

With respect to Claim 28, Shi (pg 13, ¶ [0148]) indicates that the "filters of preferred embodiments may also contain various other adsorptive, absorptive, or porous materials" and that "Examples of such materials, include, but are not limited to cellulosic fiber" which anticipates the claimed cigarette wherein "the sorbent is fibers".

Continuing with Claim 29, Shi (pg 14, ¶ [0150]) indicates that the filter material may have the form of a non-woven web of fibers or a tow" which is reads directly on the immediate claim wherein the fibers are continuous or non-continuous.

Claim 30 is anticipated by Shi (pg 14, ¶ [0149]) wherein it is disclosed that "the adsorptive or absorptive component…is generally *dispersed within the porous filter material* of the filter segment". In the immediate context, the term "dispersed within" is held equivalent to "impregnated with" as claimed. In light of the Claim 28 and 29

rejections, this disclosure reads on the present claim wherein the fibers are impregnated with at least one sorbent.

Claim 31 is anticipated by Shi (pg 1, ¶ [0009]) wherein in order to construct described a single smoking article comprising a flavoring-release additive, flavoring, and sorbent, said flavoring-release additive or microcapsules with entrained flavoring and the activated charcoal sorbent must necessarily be "incorporated" together into a single final cigarette structure.

With respect to Claim 32, Shi indicates (pg 13, ¶ [0140,0141]) that "smoke produced from the smokable material passes into the filter before entering the smoker and the filter "removes at least one undesired component from tobacco smoke". It is a well established process in the practice of utilizing a cigarette that said cigarette be heated in order to form the smoke. Further as described by Shi, this smoke is drawn through the cigarette where at least one gas-phase component of the smoke is selectively removed from the mainstream smoke.

Claim 34 is clearly anticipated in light of the Claim 1 rejection above and the rejection of Claim 6 wherein the microcapsules or flavor-release additive was equated to the as claimed "beads".

Claim 35 is anticipated by the Claim 34 rejection above and the disclosure by Shi (pg 5, ¶ [0045]) which states that microcapsules with varied melt temperatures can be included in a single cigarette to ensure a constant release of menthol". This disclosure reads on the immediate claim as a case wherein at least two flavoring-release additives

Application/Control Number: 10/695,760

Art Unit: 1731

are incorporated with different minimum temperatures at which the flavoring is released during smoking.

Claim 36 is clearly anticipated in light of the argument set forth in the Claim 34 rejection above and the rejection of Claim 31.

Claim 37 is clearly anticipated in light of the argument set forth in the Claim 34 rejection above an the rejection of Claim 32.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Shi (US2005/0000531) as applied to the Claim 6 rejection above and in light of Wakamiya (6,056,974). Shi anticipates all of the elements of the parent claim 6 and indicates (pg 1, ¶ [0016]) that the shell material or "binder" used in the microcapsules is chosen from

among a group of compounds which include "water soluble cellulose". Shi does not indicated that the indicated water soluble cellulose should be of a specific type (e.g. hydroxypropylcellulose or hydroxyporpylmethylcellulose). Wakamiya (column4, Lines59-62), however indicates that "the cellulose coating agents (which) have high water-solubility,...include, for example, hydroxypropylcellulose and hydroxypropylmethylcellulose (HPMC)." It would therefore have been obvious to one of ordinary skill in the art at the time of the invention when selecting a water soluble cellulose for a binder as taught by Shi to utilize hydroxypropylcellulose or HPMC as taught by Wakamiya due to their high water solubility and relative ease of coating.

Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Shi in light of the rejection of Claim 14 above and the applicants disclosure in the body of the specification (pg.17, ¶ 0067]) that "the dimensions of the dried film are not limited". Specifically, in the absence of any unexpected results outside of the claimed film thickness range, it would be obvious to one of ordinary skill in the art to empirically vary said film thickness to optimize flavorant delivery to the mainstream smoke while minimizing adverse impact of the film material on the burn rate of the tobacco shred.

Claim 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over Shi as applied in the rejection of Claim 14 above and further in view of Bradley (4,195,645). As described above, Shi anticipates all of the elements of Claim 14 wherein the microcapsules are applied to the tobacco shred or other component within the cigarette as a film cast from an solution based emulsion or slurry. Shi fails to indicate a case wherein "the film is preformed, shredded and incorporated in the tobacco plug or other

selected locations" as set forth in the specification or wherein "the film is in shredded form" as disclosed in the immediate claim. Bradley presents (Column2, Lines2-5) a smoking material consisting of microencapsulated flavorants which provide a tobaccosubstitute product having a flavor nearly approximating that of tobacco. Bradley continues (Column 8, Lines 6-15) by indicating that "from the standpoint of ... that the (microcapsule) compositions be in shredded film form." Further, the immediate reference (Column 8, Lines 21-37) sets out a scenario where films of the microcapsules are cast from solution dried to a thin sheet and cut or shredded prior to use. Given the disclosure by Bradley, it would be obvious to one of ordinary skill in the art when incorporating microencapsulated flavorants into a cigarette by the Shi process to incorporate them in shredded film form in order to facilitate the processing as indicated by Bradley.

Claims 23 through 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shi (US 2005/0000531 A1) in view of Demain (5,144,946).

Specifically with respect to Claim 23 and as outlined above in the rejection of Claim 22 under 35 USC § 102e, Shi teaches all of the elements of Claim 1 wherein the flavor release additive is an inclusion complex comprising a pair of oppositely charged molecules or polymer particles are bound together by electrostatic attraction. Shi fails to teach that one molecule of said pair of oppositely charged molecules, presently referred to as the "host" molecule, should be beta-cyclodextrin. Demain (Column 2, Lines 22-30) teaches the use of water soluble beta-cyclodextrin as component of a flavorant-release additive for use in flavoring smoke produced by a smoking article.

Demain further indicates that this flavorant release additive is characterized by a lack of mobility and/or volatility at ambient temperatures (Column 2, Lines 1-5). It would therefore have been obvious to one of ordinary skill in the art at the time of the invention when selecting a flavor release additive for a tobacco product to choose beta-cyclodextrin as a component in a flavor-release additive due to its low ambient volatility. Specifically, a flavorant expressing low ambient volatility would be desirable in order to increase the shelf life of said tobacco product.

Regarding Claim 24 and in light of the Claim 23 rejection above, Demain (Column2, Lines 45-48) indicates that "a cigarette smoking product with treated paper wrapper...contains between 0.01-5 weight percent of flavorant-release additive in the paper wrapper." This disclosure by Demain obviously reads on the immediate claim wherein an "over wrap" or treated paper wrapper comprises less than about 15% by weight of the inclusion complex.

Claim 25 is rendered obvious in light of the sample preparation as set forth by Demain in Example I (Column4, Lines 47-56) and the rejection of Claim 23 as set forth above. Specifically it is indicated that 100mg (0.1g) of the flavorant Vanillin is mixed with 2 ml of a 45% weight/weight aqueous solution of beta-cyclodextrin. It is obvious that the inclusion complex comprises less than about 20% of the flavoring based on the total mass of the inclusion complex.

Claim 27 is rejected under 35 U.S.C. 103(a) as being unpatentable over Shi as applied to the Claim 22 rejection above and the disclosure (pg 16, ¶ [0171]) that components may also be added to the smokable material, or may be contained within

the filter, the tobacco rod, or other components of the smoking articles" and that "Flavorants can be incorporated into the cigarette conventional techniques... in addition to the microencapsulation technique described herein" (pg 16, ¶ [0173])." This disclosure is read as incorporating the said microcapsules or flavor-release additives and flavorant in alternate locations within the cigarette in addition to or instead of the tobacco rod. In the present context, it is obvious that Shi intends to include other components of the cigarette (e.g. an inner wrap, a tobacco-containing mat, and/or an overwrap surrounding said mat) as a substrate for the microspheres as in commonly practiced when adding flavoring to mainstream smoke.

Claim 33 is rejected under 35 U.S.C. 103(a) as being unpatentable over Shi as applied to the Claim 1 rejection above and the fact that it is old and well known practice to utilize a lighter during the smoking of a cigarette. Although Shi does not explicitly set forth the components of a smoking system as including both a cigarette and a lighter, it would be obvious to one of ordinary skill in the art engaged in the smoking of a cigarette as taught by Shi to pair the disclosed smokable cigarette with a heat source or "lighter" capable of igniting said smokable cigarette. Inclusively, said cigarette and said lighter constitute the claimed smoking system.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason L. Lazorcik whose telephone number is (571) 272-2217 The examiner can normally be reached on Monday through Friday 8:30 am to 5:00pm.

Application/Control Number: 10/695,760 Page 17

Art Unit: 1731

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steven Griffin can be reached on (571) 272-1189. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JLL

STEVEN P. GRIFFIN UPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1700